

Portable Digital Menu Board

Elevate your Dining Experience

Step into the digital age and enhance your dining establishment with our sleek, ultra-modern Portable Digital Menu Board.



Want to captivate your customers before they even step inside?

MetroSpec's Digital Menu Board, powered by industry-leading LCD technology from LG and Samsung, showcases your mouth watering dishes and daily specials with unmatched clarity. Imagine crystal-clear images, dynamic videos, and eye-catching advertisements – all in brilliant High Definition or Ultra High Definition.

Flexibility at its best! Place it proudly at your entrance or effortlessly wheel it to prime spots, ensuring every guest gets a tantalizing sneak peek from their seats. Its sturdy design boasts anti-vandalism locking wheels and a durable A-frame structure, guaranteeing safety and longevity.

METROSPEC

Metromatics has been providing digital signage solutions to transport and industry under our brand name MetroSpec, since 2007. We have a proven track record of delivering quality digital signage solutions across a wide array of applications and continue to expand our product range and presence in the outdoor digital signage market.

Customise to your taste!

Choose from sizes like 43", 49", or 55" and select the perfect brightness for any ambiance. Plus, its impressive 10-hour battery life ensures it's by your side from morning brunch to late-night delicacies.

Let your customers dive deep into your offerings with our optional touch screen features, creating an interactive and memorable experience. And with Fusion Software, crafting and scheduling your captivating promotions has never been easier.

Choose MetroSpec – where unparalleled features meet dedicated local support. Stand out, draw in, and dazzle your patrons like never before!



METROSPEC

Portable Digital Menu Board

Specifications

DISPLAY	DISPLAY LG or SAMSUNG
Display Size	43", 49", or 55" Diagonal
Backlight Type	WLED
Resolution	1080 (W) x 1920 (H) – Full HD or UHD 2160 (W) x 3840 (H)
Visibility Angle (CR>10)	178° Right/Left; 178° Up/Down
Luminance	300, 700 or 1,000 CD/M ²
Contrast	1400:1
Aspect Ratio	16:09
OPERATING SYSTEM	INTERFACE
Driver Board	HDMI, VGA, DVI
Standalone	HDMI, USB
Android	HDMI, USB
Windows	HDMI, VGA, USB
POWER	
Voltage	240/100V; 50/60+/- Hz
Battery Standby Time	10 Hours
SOFTWARE	FUSION Creative & Scheduling Software
ENVIRONMENTAL	Designed for Indoor Use
Operating Temperature	0 to +40°C
Storage Temperature	-10° to +60°C
Humidity	10%-80% RH Non Condensing
OPTIONAL TOUCH SCREEN	
Touch Type	Capacitive or Infrared
No of Touch Points	10/40 USB Interface
OTHER OPTIONS	WiFi Access Point, Camera, Wheels, Card Reader, Scanner, Battery

sales@metrospec.com.au | www.metrospec.com.au

METROSPEC

Brisbane +61 7 3868 4255 ● Melbourne +61 3 9872 4592 ● Sydney +61 2 9460 4355 ● Adelaide +61 8 8343 8516

MetroSpec is a brand name of Metromatics (47 007 346 287). Please note specifications may change without further notification.